

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

WHOLESALE

1-10

list; 10-50 60% off list; 50-100 75% off list; 1000 80% off list

Wild Flowers of the National Parks Region
NATIVE AMERICAN ALPINES

Frank H. Rose
1020 Poplar St., Missoula, Mont.

Here is a list of plants I regularly collect. Whenever Identical Latin names are found, they refer to these same plants. Look them up in your own library. Common names (page 12) are frequently local and may apply to different plants in different sections of the country.

These plants are scattered over parts of three states, Montana, northern Idaho, and northern Wyoming. Some will be under snow until late July. Some vary from year to year in abundance and some are hard to find. I know these plants and where they grow and will do my best to please you but usually your order cannot be shipped immediately or all at one time.

Photographs of many plants of this region may be found in the Government bulletins; Plants of Glacier (50¢), Yellowstone (35¢), and Rocky Mt. (25¢) National Parks, available from the National Parks Service, Washington, D.C. You should own these bulletins.

I furnish three plants at twice the unit price and strongly urge that your orders be not less than this minimum. Hard to get plants must be back ordered until available or collected for a service fee. It will help if you suggest substitutes that would be acceptable to you. All plants F.O.B. Missoula, Montana.

* Seed intermittantly available of * items 25¢ per packet.

* ACONITUM COLUMBIANUM or LUTESCENS .25 Monkshood. Usually blue, sometimes white. Best collected as a fall bulb. 2-5' pH-6 summer	% CRYPTOGRAMMA ACROSTICHOIDES .20 Parsley fern. 6-12" pH-6-7
* ACTAEA ARGUTA .35 Baneberry. Ruby red or china white, showy berries on identical plants. Interesting in the wild garden. White. 2-3' pH-6-7 May-June	% CRYPTOGRAMMA DENSA .35 This one at present known to me only on one hillside and that not always available. 6-12" pH-6-7
* ACTINEA LANATA .25 Caespitose, entire green leaves with large yellow flowers on short woolly stems. pH-7-8	% CYSTOPTERIS FRAGILIS .25 Fragile fern. The fern for a mossy bank. 4-6" pH-6-7
ACTINEA (PYDBERGIA) GRANDIFLORA .35 Grand yellow sunflowers on 8" woolly stems with woolly divided leaves. But try to find it.	# DRYOPTERIS SPINULOSA DILATATA .30 Spreading Spinulose Wood-fern. Frost proof fronds. 1-2' pH-6-7
# ADIANTUM PEDATUM .30 The popular Maiden hair fern. 12-18"	# DRYOPTERIS FILIX-MAS .30 Male fern. Tall, dark green, more streamlined pinnules, but hardly as large as the lady fern. 2-3' pH-6-7
Though this is an alphabetical list for your convenience, I list our other ferns here. All ferns are to be recommended. Choose to suit your need.	% POLYPODIUM VULGARE HESPERIUM .25 Licorice fern. Plentiful on the coast, but rare here and a steep climb. 4-6"
(#) Tall garden ferns are mostly from forested areas of Idaho.	% # POLYSTICHUM LONCHITIS .30 Holly fern. As attractive as it is rare. 6-12" pH-7
(%) Rockery ferns from cliffs and rock slides of various areas.	# POLYSTICHUM MUNITUM .25 Christmas fern. 1-2' pH-6-7
Either, 1 doz. (4 or more species) 1.50	# THELYPTERIS DRYOPTERIS .25 Oak fern. Single leaves along a black string-like rhizome. 6-12" pH-6-7
# ATHYRIUM FILIX-FEMINA .25 Lady fern. Large plants, .50 Our easiest to grow large fern. Like Pteris, browns with the first frost. Light green. 2-4' pH-6-7	% WOODSIA OREGANA .25 6-8" pH-6
% CHEILANTHES (PELLAEA) GRACILLIMA .35 A rock fern from high on a windy hill in Idaho. 4-6" pH-5-7	% WOODSIA SCOPULINA .20 Tolerates a sunny site. 4-8" pH-6
% CHEILANTHES FEET .35 A woolly one of dry rock crevices.	Sun, rain, and drainage. And the greatest of these is drainage.

- * *ALISMA PLANTAGO-AQUATICA BREVIPEDES* .25
With a name like that it stands in the mud and drinks water. We can get you a whole collection of plants for your pool for 2.00 if you want them.
- ALLIUMS look better than they smell. I list only 4 but I don't go much for perfume. If you do, Rydberg lists 35 for my area. Plant a dozen in a clump.
- * *ALLIUM CERNUUM* Doz. .60
Lower (less moist) woods areas.
Lavender to white. 12" pH-7 May
- ALLIUM BREVISTYLUM* Doz. 2.00
A red onion of mountain woods.
Deep rose. 12-18" July
- * *ALLIUM SCHOENOPRASUM SIBIRICUM* Doz. 1.00
Our only hollow stemmed onion.
Light rose. 1-2'
- ALLIUM TEXTILE* Doz. .75
A little clustered onion of the dry hillsides that bloom and then disappears until next season.
White. 6" pH-8 Apr.
- * *ANEMONE CYLINDRICA* .25
Wind flower. Long seed heads.
White. 18"-2' pH-6 May-July
- * *ANEMONE GLOBOSA* .25
Wind flower. Round seed heads.
Bronzy-green. 15" pH-6 May-July
- * *ANEMONE PATENS NUTTALLIANA* .25
Pasque flower. Purple fls. in early spring before even its own woolly leaves unfold. Easy as it is good.
Purple. 6-10" pH-6-8 Apr.-May
- ANEMONE PIPERI* .20
Woods Anemone. Pretty what there is of it. Nothing much but the flower.
White. 6-8" pH-5-7 May-June
- * *ANTENNARIA APRICA* .15
Cat's-paws. Dense, gray foliage mats.
White. 6" pH-6-7 Apr.-May
One of the best.
- * *ANTENNARIA ROSEA* .15
Rose. 8" pH-5-7 May-June
- * *APLOPAPPUS ACAULIS GLABRATUS* .35
Yellow. 4-6" pH-8 May-June
APLOPAPPUS LANUGINOSUS, sometimes.
- * *AQUILEGIA FLAVESCENS* .35
Lemon columbine.
Yellow. 2-3' pH-5-7 June-July
- * *AQUILEGIA JONESII* 1.00
Perhaps the most coveted rare alpine.
A cushion of compact, gray foliage with single, erect blue flowers on 5" leafless stems. Not difficult, but dormant only.
Blue. 6" pH-8 June
- * Seed 25¢ per packet.
- * *ARCTOSTAPHYLOS UVA-URSI* .50
Lots of kinnikinnik, but good, young plants are scarce. Hang down a wall.
Red berries, evergreen foliage. pH-5-6
- * *ARENARIA CONGESTA* .25
Knot-like heads, grass-like leaves.
White. 6-8" pH-5-6 May-June
- * *ARENARIA LITHOPHILA* .20
White. 6-8" pH-5-7 Apr.-May
- ARENARIA NARDIFOLIA* .25
- * *ARENARIA OBTUSILOBA* .35
Many of the chickweed family are rockery plants. Try *SPERGULARIA RUBRA* for a wet place.
- * *ARENARIA PROPINQUA* .25
Alpine sandwort, or
- ARENARIA ROSSII* .25
Many of the Arenarias are from the high peaks. I drive a Jeep.
- * *ARNICA CORDIFOLIA* .15
Yellow. 8-12" pH-5-7 Apr.
- * *ARNICA LATIFOLIA* .25
Tufted, a good rockery variety.
- Several others here also of which *ARNICA FULGENS* produces flower heads in abundance for the drug trade. .25
- ARTEMISIA FRIGIDA* .25
Keep it cut back for soft-as-kitten fur gray foliage. Easy.
- * *ASARUM CAUDATUM* .25
Wild ginger. This unusual, shady ground cover carries its brown fls. at the end of creeping branches, then buries its seed in the duff. pH-6-7
- * *ASTER ALPINUS* .30
A low, large single flowered aster of the high mts. Violet. 8"
A good one. pH-5-7 June
- * *ASTER COMMUTATUS CRASSULUS* .20
A small flowered one, drought resistant. White. 2' pH-7 Aug.
- * *ASTER INTEGRIFOLIUS* .25
A large one of moist mt. areas.
Lavender. 12-18" pH-5-6 July-Aug.
- * *ASTER (IONACTIS) SCOPULORUM* .25
Dry site Aster.
Violet. 4-6" pH-8 May-June
- ASTER (IONACTIS) STENOMERES* .35
Larger plants from Mt. areas.
- Half a dozen other species in my herbarium.
- * *ASTRAGALUS GLAREOSUS* and others .25
The different rattle-pods and vetches have me confused, and I doubt if you would order one if I listed them all. The *Oxytropis* are better. Or are they?

ATRYRIUM, see under ADIANTUM

ATRAGENE, see CLEMATIS

* BALSAMORHIZA SAGITTATA .25

Leaves like shields, blossoms like sunflowers, roots like fence posts. I send small ones.

Yellow. 1½-2' pH-7-8 April

* BERBERIS (MAHONIA) REPENS .35

Creeping Oregon grape. A ground cover coloring red in cold weather. Yellow. 1' pH-5-7 May

BESSEYA CINEREA .25

Kitten-tails.

Red. 6-12" pH-6-8 Apr.-May

* BESSEYA RUBRA .25

They are different, but not to the casual observer. If you don't care which, leave it to me and I'll send the first one I find.

* BOYKINIA HEUCHERIFORMIS .50

Like B. Jamesii, but slightly larger and more northern. Fls. dark violet. Cool cliffs. pH-7-8

* BOYKINIA MAJOR .25

This big saxifrage and false bugbane (Trautvetteria grandis) look the same until they bloom.

White. 2' pH-5-6 June

BULBS & BULB-LIKE PLANTS

These are collected when dormant, but order early as we do not stock many.

* BRODIAEA DOUGLASIA (bulbs) Doz. 1.00

Wild hyacinth. Good for cutting. Blue. 18" pH-7 May

* CALOCHORTUS APICULATUS Doz. .75

Small cat's-ear with yellow hairs and circular dark colored glands. My preference. Choose for yourself, you cannot go wrong here.

White. 6-12" pH-5-6 May-June

* CALOCHORTUS ELEGANS SELWAYENSIS 1.00

A small cat's-ear with purple hairs. 4-8" pH-5 June-July

* CALOCHORTUS GUNNISONII Doz. 1.00

From east of the mountains. White to purple with narrow purple band.

CALOCHORTUS MACROCARPUS Doz. 1.00

Large lavender lily of the sagebrush area.

10-18" pH-7 June-July

* CALOCHORTUS NUTTALLII Doz. 1.50

Similar. From east of the mountains. This has one less chromosome than C. gunnisonii. 10-18" June-July

For other bulbs see, ALLIUM, CALYPSO, CAMASSIA, CLAYTONIA, ERYTHRONIUM, FRITILLARIA, TRILLIUM, LLOYDIA, & ZIGADENUS

DEALERS, ask for my wholesale discounts.

DORMANT ROOTS

Fully dormant plants look dead, but are alive. They are harder to find when dormant, but safer to move. Try the following: (planted to avoid winter wet and then left undisturbed)

APNICA CORDIFOLIA	Doz. .75
DELPHINIUM BICOLOR	" .50
DODECATHEON CUSICKII	" 1.00
HYDROPHYLLUM CAPITATUM	" 1.00
LEWISIA REBIVIVA	" 1.00
MERTENSIA LONGIFLORA	" 1.00
RANUNCULUS GLABERRIMUS	" .50

Many plants may, if you prefer, be collected semi-dormant and held until after the hot weather for shipment.

CACTI, zero hardy

See OPUNTIA & CORYPHANTHA

CALTHA LEPTOSEPALA (ROTUNDIFOLIA) .25

Marsh marigolds are best in wet places near cold running water. White. 6-12" May-June

CALYPSO BULBOSA .35

Dormant bulbs per dozen 2.50

Well known fairy's slipper. Grows in damp, cool woods. Collected dormant, can be kept two months in a paper sack. Pink. 2-4" pH-6-7 June

* CAMASSIA QUAMISH (bulbs) Doz. .50

Blue. 18" pH-5-7 May-June per 100, 1.00 "Lost Lake" in Yellowstone Park may have been a meadow of these flowers. Plant lots of this one. Better color than the eastern C. esculenta.

* CAMPANULA PETIOLATA .25

Western bluebell. In all rock gardens. Blue. 10-15" pH-6-7 All summer

* CAMPANULA PARRYI IDAHOENSIS .35

or similar

* CASTILLEJA HISPIDA .25

Paint brush of well drained hillsides. Red to orange. 12" pH-7-8 May

* CASTILLEJA MINIATA .25

Red paint brush for damp bottoms. Red. 12-18" pH-5-7

CASTILLEJA PULCHELLA .25

or C. OCCIDENTALIS Reddish-yellow. 6" pH-5-7 June

* CHAENACTIS DOUGLASII .20

Bride's bouquet. Biennial. Give them earlier and stay single. White. 1-2' pH-7-8 summer

CHIMAPHILA UMBELLATA .35

Pipsissewa. One source of oil of wintergreen. Also have the smaller CHIMAPHILA MENZIESII when I can find it. Pink. 6-12" pH-6-7 June-Aug.

* CHRYSOPSIS VILLOSA .20

Golden Aster of waste places. It will grow! Yellow. 12" pH-7 May-June

- *CHRYSOETHAMNUS NAUSTOSUS .50
Or one of the 40 or more varieties.
Round in form. Pale, with matted hairs.
CHRYSOETHAMNUS VISCIDIFLORUS
Greener, with broom-like branches.
- CLAYTONIA LANCEOLATA (see bulbs) Doz. .75
A desirable spring beauty, despite the
gnats and mosquitoes where I dig them.
White. 2-4" pH-5-7 Apr.-June
- * CLAYTONIA MEGARRHIZA .35
Big-rooted spring beauty, and
really a beauty.
- * CLEMATIS COLUMBIANA .35
Atragene. Try this trailing purple
Clematis with vine Honeysuckle
(Lonicera ciliosa) on a shaded wall.
Purple. 10' pH-6-7 June
- * CLEMATIS DOUGLASIA .35
The urn-flowered Clematis.
Blue. 1-2' pH-6-7
- * CLEMATIS LIGUSTICIFOLIA .50
White flowered vine for fences and
sunny banks. White. 15' pH-7-8 June-July
- * CLEMATIS PSEUDOALPINA TENUILOBA .50
They appear as individual plants,
among the rocks, but seldom are.
- * CLIFTONIA UNIFLORA .20
Queencup. White flower followed by
large, porcelain blue berry. Plants
at intervals along an endless, under-
ground rhizome. White. 6" pH-5-7 June
- COLLOMIA DEBILIS .35
Perennial Collomia from the rock
slides. Often far through the rocks
from the soil about its roots.
Blue. 6-8" pH-5-6 May-June
- COPTIS OCCIDENTALIS .15
Gold-thread (from the yellow root)
White. 6" pH-5-7 May-June
- * CORNUS CANADENSIS .35
Bunchberry. Part shade ground cover.
White. 6" pH-5-6 June-July
- * CORYDALIS AUREA .35
Golden Corydalis
- CORYPHANTHA (NEOBESSEYS) MISSOURIENSIS .50
Smaller straw-colored flowers.
Red fruits in spring, more showy
than the summer flowers.
- CORYPHANTHA VIVIPARA .50
Purple flowers, green fruits.
Above two scarce here for the present.
- CORYPHANTHAS are of the ball or pin-
cushion type. More peaceful than
Opuntias. C. missouriensis may be han-
dled bare handed if you can find it.
- * CRYPTANTHA SHELTONII .20
Popcorn flower, biennial
White. 9-12" May-June
- CRYPTOGRAMMA, see under ADIANTUM
- CYPRIPEDIUM FASCICULATUM 1.00
Large twin leaves halfway up stem
& cluster of small reddish flowers.
Don't count on my finding it.
Red. 8" pH-5-6 June-July
- * CYPRIPEDIUM MONTANUM 1.00
White lady's slipper. I can get this
grand orchid, but have paid dearly
as it poisons me.
White. 12-18" pH-5-6 May-July
- CYSTOPTERIS, see under ADIANTUM
- * DELPHINIUM BICOLOR .15
An easy, showy, dwarf larkspur.
None better.
Royal blue. 8-12" pH-6-8 May
- DISPORUM TRACHYCARPUM .25
False Solomon's seal.
Yellow. 12" pH-5-7 May-June
- * DODECATHEON CUSICKII .25
Our best. A dryer, more sunny site
than pauciflorum. Leaves soft-hairy.
Purple corolla with yellow throat.
- DODECATHEON PAUCIFLORUM .25
Purple. 8" pH-5-6 June
- * DODECATHEON RADICATUM .25
A large one for a cool, wet place.
Blooms at 6" ripens seed at 2'
Pink. pH-5-6 May-June
- * DOUGLASIA MONTANA .25
Moss pink. Difficult unless suited,
but hardly anything better if it does
well. Prefers scree soil or wall.
Pink. 2" pH-7-8 Apr.
- * DRABA ANDINA, AUREA, DENSIFOLIA .25
and others. Small tufts of green
covered with racemes of bright yellow
flowers. Scree. Not too easy, but good.
- DROSACE (ANDROSACE) CARINATA .30
Rock jasmine, resembles Douglasia
but is white flowered, & hard to find
when I want it.
- DROSEROTA ROTUNDIFOLIA .25
A bog plant. Eats gnats, but not to
my satisfaction.
- DRYOPTERIS, see under ADIANTUM
- * DRYAS OCTOPETALA .35
White mountain avens.
- * EPILOBIUM ANGUSTIFOLIUM .25
Fireweed. Often follows a forest
fire and rather looks like one.
Rose. 3-5' pH-5-7 June
- ERIGERON, daisy to you. We have 100
but 10 is enough to list.
- * ERIGERON COMPOSITUS .15
White, because it is easy to get.
White. 4-6" pH-7-8 April

- * **ERIGERON CONCINNUS**
Small blue, because it is easy to grow. Blue. 8-12" pH-6-7 May-Aug.
- * **ERIGERON COULTERI**
A large white one of moist woods. White. 8-12" pH-5-6 July-Aug.
- * **ERIGERON DIVERGENS**
Spreading, small flowered purple one, very good.
- ERIGERON GLANDULOSUS**
A neat little plant with large purple flowers.
- * **ERIGERON MACRANTHUS**
A large clustered blue one. Blue. 12-18" pH-6-7 July-Aug.
- ERIGERON MONTANENSIS**
A narrow leaved pinkish one of dryer areas.
- * **ERIGERON PUMILUS** or **CAESPITOSUS**
White, up to 1 ft. of dry areas.
- ERIGEON SIMPLEX**
A dwarf alpine daisy
- ERIGERON TRIEIDUS**
The cutest little one of the lot. Compact, green cushion supporting abundant white daisies. White. 2-4" pH-7-8 April-July Others if you want them.
- * **ERIOGONUM OVALIFOLIUM**
Gray-white mounds supporting many white to rose flower heads. Give it a scree soil, mostly drainage. White. 6" pH-7 Apr.-May
- * **ERIOGONUM FLAVUM PIPERI**
Medium green with yellow flowers. Yellow. 8" pH-5-7 Apr.-May
- * **ERIOGONUM SUBALPINUM**
Larger, yellowish-white flowers turning rose with age. Cream. 12" pH-5-7 May-July
- We have many other Eriogonums of which **E. MICROTHECUM** is shrubby. I am not a buckwheat authority and won't be irked if you prefer other names.
- * **ERIOPHORUM CHAMISSONI**
Cream puffs. 8-12" pH-5 Bog. July
- * **ERIOPHYLLUM INTEGRIFOLIUM**
Small Oregon sunshine, worth its weight in gold when happy. Golden. 6-12" pH-5-6 May-Aug.
- * **ERIOPHYLLUM LANATUM**
Oregon sunshine. Gray-white foliage, likes the gravelly soil of a rock slide or road bank. Short lived, but reseeds. Golden. 12-18" pH-5-6 May-Aug.
- * **ERITRICHIMUM ELONGATUM**
Sometimes **E. HOWARDII**
Alpine forget-me-not. Prettiest of the timberline plants, but difficult. Furnished about Sept. 1, semi-dormant.
- .20 * **ERYSIMUM ELATUM** .25
Western wall flower. biennial
Orange-yellow. 12-18" pH-7-8 Apr.-June
- .25 * **ERYTHRONIUM GRANDIFLORUM** or var. .75
Glacier lily. Nature plants Doz.
this one abundantly and deep.
Eatable, especially to rodents!
- .25 Yellow. 12" pH-5-7 Apr.-May
- * **FRASERA SPECIOSA** .25
Green gentian. Not my ideal, but
some like it. Conspicuous
- .25
- * **FRITILLARIA PUDICA** Doz. .75
Yellow-bell. One of our earliest
spring bloomers. Irresistible to
school kids. A dried up bulb is best.
Yellow. 6-8" pH-6-8 Apr.
- .35
- .25 * **GAILLARDIA ARISTATA** .20
Blanket flower. Cultivated east,
but grows wild here.
Red-yellow. 12" pH-7 May
- .25
- * **GALIUM BOREALE** .20
Plumes of small white flowers.
White. 12-18" pH-5-7 May
- .30
- * **GAURA COCCINEA** .25
Like butterflies along a bough.
- .25
- GAUTHERIA HUMIFUSA** .35
A red berried ground cover.
- GENTIANA CALYCOSA** .35
Kind to amateur gardeners.
Deep blue. 10" pH-5-6 Aug.-Sept.
- .25
- * **GENTIANA ROMANOVII (ALGIDA)** .20
Arctic gentian. Flowers Clumps .50
greenish-white streaked with purple.
- * **GERANIUM VISCOSISSIMUM** .30
Red. 12" pH-7 May-on
- .35
- * **GILIA AGGREGATA** .20
The first choice of our humming-
birds. Biennial; reseeds.
Scarlet. up to 2' pH-6-7 May-June
- .35
- GILIA CEPHALOIDEA** .35
From high mountains. White. 4-6"
- .35
- GOODYERA DECIPIENS** .15
Rattlesnake plantain. Why don't
you like it? Deep woods.
White. 10" pH-5-7 May-July
- .25
- GRASS, SEDGE, RUSH** or **WOODRUSH**
If there is one you want, name it.
- .30
- * **GUTIERREZIA SAROTHRAE** .25
Turpentine weed. Green in dry weather.
Some good in most of us if you look
for it. Yellow. 12" pH-7-9 summer
- .25
- HABENARIA DILATATA** .25
White flowered bog orchis.
Lizard shaped roots. Possibly others.
- .35
- HEUCHERA CYLINDRICA GLABELLA** .20
I like its resourcefulness.
Cream. 1 1/2' pH-5-7 May-June
- For dwarf red Heuchera, see Boykinia.

HIPPURIS VULGARIS	.25	LITHOSPERMUM RUDERALE	.35
A dozen of 6 different species for your pool.	2.00	= L. PILOSUM	
		Pale yellow fls. followed by hard shiny, white seeds.	
HYDROPHYLLUM CAPITATUM	.15	12-18" pH-7-8 May	
Dormant roots, fall.			
Blue. 6" pH-6-7 May-July		LLOYDIA SEOTINA	Doz. 1.00
		The Alp lily is charming, but small. Sometimes I can find it.	
HYPERICUM SCOULERI	.25	* LOMATUM MACROCARPUM	.20
Have you seen it at Logan Pass? Red tinged buds opening into golden fls.		White. 10-14" pH-7 May	
IONACTIS, see Aster scopulorum		* LONICERA CILIOSA	.35
* IRIS MISSOURIENSIS	.15	Vine honeysuckle. Red flowers. This and Clematis columbiana are my prettiest vines.	
Only wild Iris of our area, but good.			
* KALMIA POLIFOLIA MICROPHYLLA	.35	* LUPINUS BURKEI	.25
Alpine laurel. An evergreen bordering bogs. A clump of roots and branches, but seldom individual small plants. Pink. 2' pH-4-5 June-Aug.		Blue. 1-3' pH-5-6 June-July	
LESQUERELLA UTAHENSIS	.25	* LUPINUS FOLIOSUS	.25
Drabas and Physarias are more showy. Yellow. pH-7-9 Apr.-May		Blue. 1-2' pH-5-6 June-July	
LEWISIA MINIMA	.30	* LUPINUS LYALLII	.35
Several small white fls. from a turnip shaped bulb as large as a very small pea. I find it in Idaho.	Doz. 1.50	Light blue. 4-8" pH-6 July	
LEWISIA PYGMAEA	.30	* LUPINUS HELLERAE	.25
Pink fls. resembling L. rediviva, but smaller. Root 1-2" long and smaller than a score card pencil. I know this one in Wyoming. It is rarely white here.	Doz. 1.50	Blue. 1 1/2-2' pH-7 May	
* LEWISIA REDIVIVA	.20	If you aren't particular as to species of bluebonnet, I'll send an extra plant.	
Bitterroot, more ample. State flower of Montana and Lewis & Clark's finest find. 2" fls. like Cactus blossoms. Dormant roots keep like potatoes. Avoid wet crowns in winter. Pink. 2-3" pH-6-8 June	Doz. 1.00	LUZULA MULTIFLORA	.20
* LIATRIS LACINIARIA PUNCTATA	.35	If you want sedge or wood-rushes, we have lots of them.	
Blazing star. Wooden bulbs! Purple. 12" Aug.-Oct.		LYGODESMIA JUNCEA	.25
* LIGUSTICUM FILICINUM TENUIFOLIA	.20	Shelton weed. A flowering herb of the dry plains, resembling a rush.	
Fragrant rooted parsnip. 1-12"		* LYSICHITON KAMTSCHATCENSIS	1.50
LINNAEA BOREALIS AMERICANA	.35	Leaves less durable than the fig, but more ample up to 1 1/2 X 3! White flowered bog plant. by express	
Twin-flower. Ground cover in shade. Pink. 4" pH-5 Apr.-May		MAHONIA, see BERBERIS	
* LINUM LEWISII	.25	* MALVASTRUM COCCINEUM	.20
Blue flax. Nothing more graceful. Blue. 12-24" pH-7-8 June-July		Cowboy's delight, anyone's delight. Orange-scarlet. 6-10" pH-8 Aug.	
LISTERA CORDATA	.25	* MENTZELIA DECAPITALA	.25
Greenish. 10" pH-5-6 June-Aug.		Showy biennial of barren banks.	
LITHOPHRAGMA BULBIFERA or PARVIFLORA	.20	MERTENSIA LONGIFLORA	.20
Fringecups. White. 8-10" pH-6-7 Apr.-May		Mostly flower, better than M. PULCHELLA or M. NUTANS. The small tuber like roots may be handled as bulbs. Blue. 4-6" pH-6-7 Apr.-May	
LITHOSPERMUM MANDANENSE	.35	MERTENSIA OBLONGIFOLIA	.25
Dwarf plant with golden yellow, fragrant, showy flowers. Rare. 6-8" pH-7-8 June-July		American bluebell. Leaves hairy above. Blue. 6-8" pH-6-8 May	
TREE SEEDLINGS per 100 \$5.00		MERTENSIA OBLONGIFOLIA NEVADENSIS	.25
		Slightly more robust, leaves smooth both sides. With my fading eyes, if you don't care, save a nickle, or order MERTENSIA sp.	.20
		MERTENSIA PANICULATA BOREALIS	.35
		Big roots for border planting. Blue. 2-3' May	
		Other MERTENSIAS if you like them.	

* MIMULUS GUTTATUS	.25	* OXYTROPIS STICATA or ALBIFLORA	.35
Yellow. 6" up to 24" June		White locos.	
* MIMULUS LEWISII	.35	PACHYSTIMA MYRSINITES	.35
Another Lewis & Clark introduction.		Mountain lover.	
Red. 12-18" May-June		Evergreen shrub. 3' pH-5-7	
MIMULUS MOSCHATUS	.35	* PARNASSIA FIMBRIATA	.30
Yellow, creeping. 3-6" June-Sept.		Grass of Parnassus. For streamside.	
MITELLA CAULESCENS	.25	White. 6-12" pH-5-7 June-Sept.	
Yellowish-green with 3 leaves on		PARONYCHIA SESSILIFOLIA	.35
the flower stems. 6-12"		Whitlow-wort. Cushioned. pH-8	
MITELLA NUDA	.25	PERAMIMUM, see GOODYERA	
Modest enough. Produces runners		PEDICULARIS CTENOPHORA	.25
late in season.		Rose. 12" pH-7-8 June-July	
Greenish-white. 6-10" May-June		PEDICULARIS GROENLANDICA SURRECTA	.25
MITELLA PENTANDRA	.25	Flowers are pink elephant heads;	
Greenish-white. 8-12"		trunk, ears and all. Wet place.	
Above 3 with pinnately cleft petals.		Pink. 12-18" pH-5 July.	
MITELLA STAUROPETALA	.25	For mule's ears, see VIETHIA	
Larger, with long white 3-cleft		PEDICULARIS STIFOLIA	.25
petals. 12-18"		Cream. Louseworts have roots like	
MITELLA TRIFIDA	.25	dahlias, but don't grow as easily.	
Racemes short on leafless stems.		PENSTEMON ARIDUS	.30
Whitish 3-cleft petals. 8-15"		Inured to substandard living. Our	
All miterworts or bishop's cap,		smallest, and perhaps our best.	
similar and good on a damp, shady		Blue. 6-8" pH-7 June-July	
bank. They have rounded basal leaves		* PENSTEMON CAULESTINUS	.25
and sprays of greenish, saucer-shaped		= P. ALBERTINUS	
fls. of the same Artist's design as		My home town penstemon. Intense	
snowflakes. pH-5-7 25¢ by species,		abundant flowers. "Heavenly"	
or 15¢ for the first found.		Blue. 8-12" pH-7 May-June	
MONESSES UNIFLORA	.25	* PENSTEMON CONFERTUS	.25
White. 2-4" pH-5-6 Single beauty. June		Cream. 6-18" June-July	
MUSINEON DIRARICATUM HOOKERI	.20	* PENSTEMON DIPHYLLUS	.35
Yellow. 6" pH-7-8 Apr.-May		Blue. 8-12" pH-5-6 June	
For a white parsnip, see LOMATIUM.		* PENSTEMON ELLIPTICUS	.35
Culture wild or tame, much the same.		Sometimes available. Large	
MYOSOTIS ALPESTRIS	.25	flowered, ground cover.	
Perennial with bright blue fls.		* PENSTEMON ERIANTHERA SALIENS	.25
Blue. 4-12" pH-5-7 June-July		Large, mottled flowers.	
NUPHAR (NYMPHAEA) POLYSEPALA	1.00	Lavender. 6-8" pH-7 May-June	
Yellow waterlily. summer		* PENSTEMON FLAVESCENS	.35
OENOTHERA CAESPITOSA	.30	Abundant on a mountain in Idaho where	
Evening primrose.		I always like to go but seldom do.	
White. 3-6" pH-8 May-July		Cream-white. 8-12" pH-6 June-July	
OPUNTIA FRAGILIS	.35	* PENSTEMON FRUTICOSUS	.50
Small plants per 100	5.00	Woody shrub.	
Round leaves, yellow flowers.		Blue. 2' pH-5-6 June	
4-6" pH-7-8		PENSTEMON LYALLII	.35
* OPUNTIA POLYACANTHA	.35	= P. LINEARIFOLIUS	
Prickly pear. Flat leaves, yellow		If and when.	
flowers. 20° below zero won't kill		* PENSTEMON OVATUS PINETORUM	.25
either of these Opuntias.		= P. WILCOXII	
Small plants per 100	5.00	Fairly large growing, but desirable.	
* OXYTROPIS OREOPHILA or PARRYI	.35	Best in shady, wild garden.	
Low, grayish plants with showy		Blue. 1-3' pH-5-7 May-July	
purple flowers.		* PENSTEMON NITIDUS POLYPHYLLUS	.25
* OXYTROPIS LAMBERTII or SPLENDENS	.35	Long, gray leaves, sky-blue fls.	
Taller, purple locos.		Blue. 8-10" pH-7-9 May-June	

* *PENSTEMON PRO CERUS*
= *P. MICRANTHUS*
Knothead flower clusters.
Blue. 10-18" pH-6-7 June-July

Except for *P. confertus* & *P. procerus* give penstemons the best drainage possible. Most of them like a roadside cut or similar bank. Clay will do for *P. saliens* & *P. polyphyllus* and if a steep bank, even for others; but most, from choice or circumstances, occupy a gravelly soil.

PERIDRIDIA GAIRDNERI Doz. .75
Squaw-root. Dormant.

PHACELIA HETEROPHYLLA .15
or *P. LEUCOPHYLLA*

PHACELIA SERICEA .35
Beautiful, but not easy.

Thanks to Dr. Wherry, I have an ample list of moss-phlox.

PHLOX ALYSSIFOLIA COLLINA .35
Occasionally *P.a. vera*,
or *P.a. minor*.

PHLOX BRYOIDES .25
Square-shoot Phlox. Compact,
caespitose, gray foliage and
abundant bloom. pH-5 May-June
Small, blue or white flowers.

PHLOX CAESPITOSA PULVINATA .35
If and when.

PHLOX DIFFUSA SCLETPANTHIFOLIA .25
Western moss-phlox. Mt. areas.
Lilac, caespitose. pH-5 June

PHLOX DOUGLASIA RIGIDA .30
Viscid moss-phlox, shrubby.
Clay is OK. if it slopes away.

PHLOX HOODII VISCIDULA .25
Sage-land moss-phlox. Blue or pink,
caespitose. pH-7 May. Also of my
area are *P.h. muscoides*,
P.h. genuina, and *P.h. glabrata*.

PHLOX KELSEYI .35
If and when.

PHLOX LONGIFOLIA TYPICA .25
or var. *HUMILIS*. Carinate Phlox,
sweet william type.
Lavender. 8-12" pH-6-8 June

PHLOX MISSOULENSIS .30
Western moss-phlox. Abundant large
flowers. None finer.
Clear blue or white. pH-7-8

PHLOX MULTIFLORA .30
Costate moss-phlox.

Give western phlox drainage in the East. A hillock covered with 8" of road gravel is OK.

PHYLLODOCE EMPETRIFORMIS .35
Evergreen when I can get it.
Red fls. 1' pH-5 July

.20, *PHYSARIA DIDYMOCARPA* .25
or variety *LANATA*
Double bladder pod, narrow
upper sinus.

PHYSARIA GEYERI .25
Twinpod. Wide upper sinus.
Yellow. 4-6" pH-7-8 May

PHYSOSTEGIA PARVIFLORA .25
Likes its feet wet.
Rose-purple. 1-3' pH-6-7 June-Aug.

PIPERIA MULTIFLORA .30
Similar to *Habenaria*, but dryer site.

PLEASE be patient. I'm not up on radar,
but look for plants the old fashioned
way. May I substitute?

POLEMONIUM HAYDENI .25
Rock slides. May-Aug.
Blue or white. 12" pH-5-6

POLEMONIUM OCCIDENTALE .25
Bog. Robust.

POLEMONIUM PULCHERRIMUM .35

POLEMONIUM VISCOSUM .35
or *CONFERTUM*. Mt. valleys & peaks.

You may call *Polemonium* skunk weed or
sky pilot-following your nose or soul.

* *POLYGONUM* sp. .20

* *POTENTILLA CONVALLARIA* .20
Rockery or border. Good I think.
Cream-white. 10-18" pH-7 Apr.-May

* *POTENTILLA (DASIPHORA) FRUTICOSA* .35
Shrubby cinquefoil. Showy summer
long. Good. May be kept sheared to
any size. Yellow. 1-2' pH-5-7

* *POTENTILLA NUTTALLII* .25
or *GLANDULOSA*
Yellow. 1-2' pH-6 July

POTENTILLA ANSERINA SERICEA .25
"Very decorative" Bailey says. Single
showy fls. on low axillary stems.
Yellow, low. pH-6 Summer

* *PRUNELLA VULGARIS* .20
Selfheal. Blue. 6" pH-6 June

PYROLA ASARIFOLIA .35
Large, pink fls. Leaf blades
broader than long.
Pink. 4-12" pH-5-7 May-June

PYROLA CHILORANTHA .25
Blades orbicular, shorter than stem.
Greenish-white. pH-5-7 June

PYROLA ELLIPTICA .25
Leaf blades oval, longer than stem.
White. pH-6 June-July

PYROLA SECUNDA .25
Small white. pH-5-6 June

PYROLA ULIGINOSA .25
Large; leaf blade longer than
broad. Pink. pH-7 June

Just PYROLA, small white, large pink,	.15 .20	* SMILACINA AMPLEXICAULIS False Solomon's Seal. White. 1-2' pH-6-7 June	.25
* RANUNCULUS GLABERRIMUS Early. For sunny, sandy sites. This one has everything a buttercup should including fragrance. Waxy yellow. 2-5" pH-6-7 Apr.	.10	SMILACINA RACEMOSA	.25
RANUNCULUS MONTANENSIS More robust, consistent bloomer on damp ground. Yellow. 1-2' pH-5-6 June *50 others here all good enough.	.20	* SMILACINA STELLATA Wild lily-of-the-valley. White. 8-12" pH-6-7 May-June	.20
RYDBERGIA, see ACTINEA		* SOLIDAGO ELONGATA Tall goldenrod. Compact fl. clusters. Yellow. 1-3' pH-6-7 July-Aug.	.20
* SAGITTARIA CUNEATA White. 8-18" Bog. July-Sept.	.25	* SOLIDAGO MISSOURIENSIS Dwarf goldenrod. Yellow. 6-8" pH-7-8 June-Aug. Others if you want them.	.20
* SAXIFRAGA ARGUTA Stream side. Choice in a wet place. White. 8-10" pH-5-6 July-Aug.	.25	Goldenrods would be better thought of if they stayed home more.	
* SAXIFRAGA AUSTROMONTANA From rock slides, compact mounds. White-pink dots. 4-8" pH-5-6 May-July	.35	SPERGULARIA RUBRA A moss-like chickweed. Cover for wet ground. matted. pH-5-6 June	.25
SAXIFRAGA FLAGELLARIS Yellow saxifrage. Tiny alpine. Good when found.	.35	* SPHAERALCEA RIVULARIS Wild hollyhock. Good in border. Pink. 3-5' pH-6-7 June	.50
* SAXIFRAGA MONTANENSIS Similar to S. nivalis. Damp slopes, rocks and mossy banks.	.20	SPIRANTHES PORRIFOLIA Lady's tresses. Pretty, with white hair closely braided, a green dress and feet like a big bug. pH-5 Aug.	.25
Other Saxifrages as found	.25	SPRAGUEA MULTICEPS Pussy-paws. Cute.	.30
Saxifraga-like plants: LITHOPHRAGMA, MITELLA, HEUCHERA, TIARELLA, BOYKINIA		STELLARIA (ALSINE) LONGIPES Arctic starwort	.25
SCUTELLARIA EPILOBIFOLIA	.25	STENOTUS, see APLOPAPPUS	
SEDUM INTEGRIFOLIUM King's crown.	.35	STREPTOPUS AMPLEXIFOLIUS Twisted-stalk. Showy, with bright orange-red berries dangling along the branches. Streamside. White. 1½-3' pH-6-7 May-July	.35
SEDUM LEIBERGII BORSCHII Yellow. 2-4" pH-5-7 May-June	.25	SUN, RAIN & DRAINAGE and the greatest of these is drainage to avoid a wet crown in winter.	
SEDUM STENOPETALUM Yellow. 4-6" pH-5-7 May-June	.10	SYMPHORICARPUS ALBUS LAEVIGATUS and S. OCCIDENTALIS Snowberry. 2-4' pH-5-7	.25
SEED LIST, wholesale upon request.		SYNTHYRIS MISSURICA MAJOR Large round, notched, evergreen leaves. Flowers suggesting a blue grape hyacinth. Unusual, even here. Easy, better try it. Blue. 8-12" pH-7 May-June	.35
SELAGINELLA DENSA	.20	* SYNTHYRIS LACINIATA One half as large as S.m. major. More of an alpine and perhaps better among rocks.	.25
* SENECIO PURSHIANA Light gray foliage. 6-10" Many other Senecios.	.20	TEMPTATION, a choice assortment, any number, my selection. Per 100 \$10.00	
*SIEVERSIA CILIATA = GEUM TRIFLORUM Purple avens. Rose 8-12" pH-6-7 May-June	.20	THALICTRUM sp. A woods plant that appears at home with ferns. White. 2-3' pH-5-7 May-June	.25
SIEVERSIA (GEUM) TURBINATA	.20		
SILENE ACAULIS Carpet pink. A good trick if you can do it.	.25		
SILENE MENZIESII	.25		
SISYRINCHIUM ANGUSTIFOLIUM or S. OCCIDENTALA or others Blue-eyed grass describes several of our species.	.25		

- * TIARELLA UNIFOLIATA .20
Lace flower. Delightfully delicate
in appearance and easy in shade.
White. 8-12" pH-6-7 Aug.-Sept.
- * TOFIELDIA INTERMEDIA .25
- TOWNSENDIA SERICEA (EXSCAPA)
Easter daisy of the foothills.
White. 2" pH-8 Apr.-May
- TRAUTVETTERIA GRANDIS .35
Bugbane.
White. 3' pH-6-7 July
- * TRILLIUM OVATUM Doz. 1.00
No finer Trillium.
White. 8-12" pH-5-7 Apr.-May
- * TROLLIUS ALBIFLORUS .20
Globe-flower. Blooms at snow's edge.
Cream-white. 4-20" pH-5-6 May-June
- VACCINIUM OVALIFOLIUM .50
- VACCINIUM SCOPARIUM .35
- VERONICA AMERICANA .25
Blue. 18" Streamside. All summer.
- VERONICA CUSICKII .30
or V. SERPYLLIFOLIA
Blue. 6-8" pH-5-6 May-June
- VERONICA WORMSKJOLDII .25
- VIOLA ADUNCA (or MONTANENSIS) .20
Blue. 3-5" pH-6-7 May-June
- VIOLA BELLIDIFOLIA .25
Compact with small leaves and
abundant flowers. A good one.
Blue. 2-4" Apr.-May
- VIOLA GLABELLA .25
Yellow. 6-10" pH-6-7 Apr-July
- VIOLA NUTTALLII VALLICOLA .20
A drought resistant yellow violet.
- VIOLA ORBICULATA .15
Yellow violet of cold woods.
Yellow. 2-4" pH-5-9 Apr.-July
- VIOLA PALUSTRIS .25
Small white violet of moist places.
- VIOLA RUGULOSA .20
This one grows willingly.
White. 10-12" May-on
- Any violet, per Doz. \$1.25
- WILD FLOWER SEED MIXTURE suitable
for roadside or waste area planting.
Old seed and current surpluses. Per oz. 50
- WOODSIA, see following ADIANTUM
- WYETHIA AMPLEXICAULIS .25
Mulish many ways.
- * XEROPHYLLUM TENAX .25
Beargrass. They root deeply, so
small plants sent. Like tapers tall.
White. 3' pH-5-7 June-July

- * YUCCA GLAUCA .35
If and when I get to the eastern
part of the state. They also root deep.
- * ZIGADENUS GRAMINEUS Doz. .75
Death camas. Fall bulbs.
- * ZIGADENUS ELEGANS Doz. \$1.00
Wand lily. A more showy plant from
the higher areas.
Plant a dozen together.

Due to snow blocked roads, high country
plants can not be collected before June or
July. They start growth very rapidly when
the snow is off. Collecting as the snow
banks recede is ideal for me. The ground
is soft, the weather pleasant, and avail-
able plants usually may be readily recog-
nized; but hot weather lower down may cook
the plants in shipment.

If June is hot with you, fall shipments
may be your solution for high country
plants. Plants that, when they have fin-
ished their season, die back to the crown,
may be held in this semi-dormant condition
for some time without too much difficulty
and when planted either start growth imme-
diately or develop bud and roots in
preparation for spring.

August is apt to be dry in the West and
with the grazing, may make some plants
difficult to find or identify. Snow may
come again in early September or the
ground freeze. I want to test semi-
dormant transplanting more extensively,
so place an order for a fall planting.
Name acceptable substitutes for plants I
fail to find and report your experience.

We have many interesting plants in our own
country and should learn to make more use
of them.

SOIL ACIDITY, is expressed herein as pH-
and a figure, pH-7 is neutral. Higher
figures are alkaline, lower acid.
Drainage, moisture, light and tempera-
ture are no less important. Read the
cultural directions on the following
page and use your own judgement.

6-8" One thing that has always bothered me
in botany is how big is large? I have
tried to show for height average figures
for this region. They vary widely in-
creasing with moisture, warmth, richness
of soil, and protection from grazing
(shearing).

"EASY" Many of these plants are not "easy"
within the meaning of this term in the
ordinary garden catalogue. However, all
grow luxuriantly where I find them and
most of them will grow for you if you
meet their requirements. Their correct
culture is not yet well known and exper-
imentation is recommended.



Would like to take you with me to some
of the many interesting areas familiar
to me.



CULTURAL DIRECTIONS

Drainage is perhaps the first requirement of Western plants, so plant them where moisture, especially in winter, cannot collect and stand about the crown.

Our soil is usually of rock and gravel with decayed vegetable matter and some silt added. This is often underlain with stony clay. Clay and gravel seem in effect to be quite similar. The same species is sometimes found growing equally well in either. This means to me, that it is not necessary to haul in gravel to make a drained soil if a slope and an impervious surface will get the same result. Your own soil formula may be as effective as any I could give and if you get in an extra shovel of this or that it may be better. I would advise, however, the liberal use of rocks and gravel, not alone on the surface, but to a considerable depth. The free circulation of air and moisture is important to cool the soil by evaporation as well as for quick drainage.

In addition to good drainage at all seasons, including winter, high mountain plants usually have ample moisture in spring when the snows are melting, and frequent showers later, but may get quite dry in late summer. How important this drying out is, is debatable; but it may be advantageous to some species to withhold moisture after flowering and induce a semi-dormant period. It seems logical that the time to move plants is during, or at the beginning of this dormancy, holding them in storage if necessary until a suitable planting time, or allowing them to have their rest with only enough moisture in hot weather to prevent brittleness. When plants are received, remove the wrappings and set the package in water over night. Remove from the water and keep in cool place until ready to plant. If there is to be a long delay, cover the roots with dirt or the whole package with moss.

Anyone who ever stood on a mountain top knows that the air circulates about alpenes. I don't go so far as to recommend an electric fan, but suggest you avoid smothering alpenes among more aggressive plants. Make use of slopes and banks if you have them. They assist both air circulation and drainage. Sun shines hot on western mountains, but rocks and rapid evaporation absorb the heat. A large rock may reflect heat to a desert plant on one side and shade the site of an alpine on the other. Light shade that does not restrict air circulation may prove an advantage in your long season area.

Rocky Mt. soils are usually neutral or mildly acid, but range from pH-5 around a sphagnum bog to pH-8 over limestone. Most plants seem to adapt regularly to some. Variation in soil acidity if drainage, moisture, air, light, and temperature are satisfactory.

Plants from the dry plains take ordinary soil conditions, but with moisture decreased. Ferns and woods plants prefer a sandy humus over a porous subsoil. They do not need the air circulation of alpenes, but prefer shade and frequent moisture.

Silvery leaved plants are more abundant from areas of hot sun and drying winds. The villousness protecting the plant. Shade plants are more apt to have large, thin and green leaves, though this may be of little help in the culture of plants received without foliage and without labels.

In handling seed, planting in sphagnum is recommended. Press the seed into $\frac{1}{4}$ inch pulverized sphagnum moss, available from any florist, and spread over a good, well drained soil. Then cover with a pane of glass. Sprinkle as often as necessary to keep moss damp to the touch. Some seed germinate quickly, while others are more slow, sometimes coming even more abundantly a second year. Due, no doubt, to the controlled conditions of the alpine house, many Westerns seem to be well suited for this type of culture.

Even on quite familiar areas, I am continually finding plants overlooked before, and failing to find some known to be available from the area. What to include in a list of this sort is something of a problem. I try to list what I think you would like and that I am reasonably sure to find. There are, of course, many more. I cannot get to all areas often and sometimes must eliminate unprofitable trips. If you have special interests, I would appreciate hearing of them, but make no promises. I do, however, wish you every success.

Frank H. Rose, 1020 Poplar Street, Missoula, Montana.



Where the scientific and common name is the same it is listed but once.
If you don't find it here, look in the general list or write.

Aconite saxifrage, Boykinia
Alfilaria, Erodium
Alum-root, Heuchera
American bluebell, Mertensia
American cowslip, Dodecatheon
American laurel, Kalmia
American pasque flower, Anemone patens
Antelope bush, Purshia
Arctic gentian, Gentiana r.
Arrowhead, Sagittaria
Avalanche lily, Erythronium
Avens (Mt.), Dryas
Avens (purple), Sieversia
Avens (yellow), Geum
Bachelor's button, Centaurea
Balsamroot, Balsamorhiza
Baneberry, Actaea
Bearberry, Arctostaphylos
Beardstongues, Penstemon
Beargrass, Xerophyllum
Bedstraw, Galium
Bird-bills, Dodecatheon
Birth-root, Trillium
Biscuit root (white), Lomatium
Bishopscap, Mitella
Bistort, Polygonum
Bitterbrush, Purshia
Bitter cherry, Prunus
Bitterroot, Lewisia
Bladder pod, Lesquerella
Blanket flower, Gaillardia
Blazing star, Liatris
Blazing star, Mentzelia
Bluebell, Campanula
Bluebell, Mertensia
Blueberry, Vaccinium
Blue bonnet, Lupinus
Blue camas, Camassia
Blue-eyed grass, Sisyrinchium
Blue flag, Iris
Blue flax, Linum
Bog asphodel, Tofieldia
Broadroot, Lewisia
Brides bouquet, Chaenactis
Brown-eyed Susan, Gaillardia
Broom-weed, Gutierrezia
Buffaloberry, Shepherdia
Bulrush, Scirpus
Bunchberry, Cornus
Buttercup, Ranunculus
Butterfly lily, Calochortus
Butterfly weed, Gaura
Butterweed, Senecio
Button snake-root, Liatris
Cactus, (ball type) Coryphantha
Cactus, (spreading type) Opuntia
Capnoides, Corydalis
Carpot pink, Silene acaulis
Cat's-paws, Antennaria
Cat-tail, Typha
Chickweed, Cerastium
Chickweed, Stellaria
Chokecherry, Prunus
Cinquefoil, Potentilla
Cliff brake, Cheilanthes
Climbing bittersweet, Celastrus
Clubmoss, Lycopodium
Clubmoss (little) Selaginella
Cowboy's delight, Malvastrum
Columbine, Aquilegia

Coralroot, Corallorhiza
Cotton grass, Eriophorum
Cow-parsnip, Heracleum
Cranebill, Geranium
Currant, Ribes
Cypress spurge, Euphorbia
Daisy, Erigeron
Death camas, Zigadenus
Devil's club, Echinopanax
Dogbane, Apocynum
Dog-tooth violet, Erythronium
Dogwood, Cornus
Duckweed, Lemna
Duckweed (larger), Spirodela
Dwarf larkspur, Delphinium
Easter daisy, Townsendia
Elder, Sambucus
Elderberry, Sambucus
Elephant head, Pedicularis
Elk thistle, Cirsium
Evening primrose, Oenothera
Everlasting, Anaphalis
Fairy bells, Disporum
Fairy slipper, Calypso
False bugbane, Trautvetteria
False hellebore, Veratrum
False miterwort, Tiarella
False Solomon's seal, Disporum
Fernleaf, Pedicularis
Ferns, see under Adiantum
Fireweed, Epilobium
Five-finger, Potentilla
Flax (blue), Linum
Fleabane, Erigeron
Forget-me-not (dwarf) Eritrichium
Forget-me-not (tall) Myosotis or Lappula
Fringecup, Lithofragma
Fringed loosestrife, Steironema
Garlic, Allium
Glacier lily, Erythronium
Globe flower, Trollius
Globemallow, Sphaeralcea
Golden aster, Chrysopsis
Goldenpoa, Thermopsis
Golden-rod, Solidago
Golden smoke, Corydalis
Gold thread, Coptis
Grape fern, Botrychium
Grass of Parnassus, Parnassia
Gay feather, Liatris
Green-gentian, Frasera
Gromwell, Lithospermum
Groundsel, Senecio
Harebell, Campanula
Hawthorn, Crataegus
Heal-all, Prunella
Hearts-ease, Viola
Holly fern, Polystichum
Holly-grape, Berberis (Mahonia)
Honeysuckle, Lonicera
Horsemint, Monarda
Horsetail, Equisetum
Huckleberry, Vaccinium
Hyacinth, Brodiaea
Indian paint, Lithospermum
Jacob's ladder, Gilia
Jacob's ladder, Polomonium
June-berry, Amelanchier
Kinnikinnik, Arctostaphylos
Kitten tails (blue) Synthyris

Kitten tails (red) Besseya
 Kitten toes, Antennaria
 Labrador tea, Ledum
 Lace flower, Tiarella
 Ladies' slipper, Cypripedium
 Ladies' tresses, Spiranthes
 Lady's thumbs, Polygonum
 Larkspur, Delphinium
 Leather-flower, Clematis douglasii
 Lemon mint, Monarda
 Licorice, Glycyrrhiza
 Lily-of-the-valley, Smilacina
 Lion's heart, Physostegia
 Little club moss, Solaginella
 Loco, Astragalus
 Loco, Oxytropis
 Lousewort, Pedicularis
 Lupine, Lupinus
 Mallow, Malvastrum
 Marestalk, Equisetum
 Marestalk, Hippuris
 Mariposa lily, Calochortus
 Marsh marigold, Caltha
 Meadow rue, Thalictrum
 Meadow saxifrage, S. montanensis
 Meadow sweet, Spiraea
 Milfoil, Achillea
 Milkvech, Astragalus
 Milkweed, Asclepias
 Miner's lettuce, Montia
 Miterwort, Mitella
 Mock orange, Philadelphus
 Monkey flower, Mimulus
 Monkshood, Aconitum
 Moonwort, Botrychium
 Morning-star, Mentzelia
 Moss campion, Wilene acaulis
 Moss chickweed, Spergularia
 Moss pink, Douglasia
 Mountain ash, Sorbus
 Mountain dock, Polygonum
 Mountain-gold, Aplopappus
 Mounta in laurel, Ceanothus (Holodiscus)
 Mountain laurel, Kalmia
 Mountain lover, Pachystima
 Mountain maple, Acer
 Mountain spray, Sericotheca
 Mouse-ear, Cerastium
 Muskplant, Mimulus
 New Jersey tea, Ceanothus
 Ninebark, Opulaster
 Nodding onion, Allium cornuum
 Oak fern, Thelypteris
 Ocean spray, Sericotheca
 Old man's whiskers, Sieversia
 Onion, Allium
 Oregon sunshine, Eriophyllum
 Orpine, Sedum
 Owl's clover, Orthocarpus
 Paint brush, Castilleja
 Parrotfeather, Myriophyllum
 Pasque flower, Anemone patens
 Pathfinder, Adenocaulon
 Pearly everlasting, Anaphalis
 Pin-clover, Erodium
 Pipsissewa, Chimaphila
 Pond lily, Nymphaea
 Popcorn flower, Cryptantha
 Prairie pink, Lygodesmia
 Prairie smoke, Sieversia (Geum)
 Prickly pear, Opuntia
 Primrose (evening), Oenothera

Puccoon, Lithospermum
 Purple clematis, Clematis columbiana
 Pussy-ears, Calochortus
 Pussy-paws, Spraguea
 Pussy-toes, Antennaria
 Queen cup, Clintonia
 Rabbit bush, Chrysothamnus
 Rabbit tobacco, Antennaria
 Ragwort, Senecio
 Ram's horn, Pedicularis racemosa
 Rattlepod, Astragalus
 Rattlesnake plantain, Goodyera
 Red cedar, Juniperus
 Red stonecrop, Sedum integrifolium
 Red heather, Phyllodoce
 Rock rose, Lewisia rediviva
 Rock jasmine, Drosace
 Rush, Juncus
 Sage, Artemisia
 Solomon berry, Bossekia
 Sand lily, Mentzelia
 Sandwort, Alsinoopsis
 Sandwort, Arenaria
 Saskatoon, Amelanchier
 Saxifrage, Boykinia
 Saxifrage, Saxifraga
 Scarlet gaura, Gaura
 Scarlet gilia, Gilia
 Scotch bluebell, Campanula
 Sedge, Carex
 Sego lily, Calochortus
 Selfheal, Prunella
 Serviceberry, Amelanchier
 Shin leaf, Pyrola
 Shooting star, Dodecatheon
 Showy milkweed, Asclepias speciosa
 Shrubby cinquefoil, Potentilla fruticosa
 Silkweed, Asclepias
 Silver berry, Elaeagnus
 Silver plant, Eriogonum ovalifolium
 Silver head, Potentilla anserina
 Single beauty, Moneses
 Skeleton weed, Lygodesmia
 Sky pilot, Polemonium
 Skullcap, Scutellaria
 Skunk cabbage, Lysichitum
 Skunk weed, Polemonium
 Snakeweed, Gutierrezia
 Snowberry, Symphoricarpos
 Snowbrush, Ceanothus
 Solomonplume, Smilacina
 Spanish bayonet, Yucca
 Stork's bill, Erodium
 Speedwell, Veronica
 Spike-rush, Eleocharis
 Spotted saxifrage, S. austromontana
 Spring beauty, Claytonia
 Squaw root, Perideridia
 Star-flowered Solomon's seal, Smilacina
 Star flower, Lithofragma
 Star thistle, Centaurea
 Starwort, Alsine
 Stenotus, Aplopappus
 Stickleaf, Mentzelia
 Stickseed, Lappula
 St. John's wort, Hypericum
 Stonecrop, Sedum
 Sugar bowl, Clematis douglasii
 Sulphur plant, Eriogonum piperi
 Sumac, Rhus
 Sundew, Drosera
 Sun-cups, Oenothera

Swamp laurel, *Kalmia*
 Syringa, *Philadelphus*
 Sweet william, *Phlox longifolia*
 Thimbleberry, *Bossekia*
 Toad-flax, *Comandra*
 Turkey peas, *Orogenia*
 Turpentine weed, *Gutierrezia*
 Twayblade, *Listera*
 Twinflower, *Linnaea*
 Twinpod, *Physaria*
 Twisted-stalk, *Streptopus*
 Umbrella plant, *Eriogonum subalpinum*
 Violet, *Viola*
 Virgin's bower, *Clematis*
 Wake robin, *Trillium*
 Wall flower, *Erysimum*
 Wand lily, *Zigadenus*
 Water buttercup, *Batrachium*
 Water ladysthumb, *Polygonum*
 Waterleaf, *Hydrophyllum*
 Water lily, *Nymphaea*
 Water milfoil, *Myriophyllum*
 Water plantain, *Alisma*
 Western blue flag, *Iris missouriensis*
 White dryad, *Dryas octopetala*
 Whitlow-wort, *Paronychia*

Whitlowgrass, *Draba*
 Whorled water-milfoil, *Myriophyllum*
 Whortleberry, *Vaccinium*
 Wild bergamot, *Monarda*
 Wild buckwheat, *Eriogonum*
 Wild candytuft, *Arabis*
 Wild crocus, *Anemone patens*
 Wild hollyhock, *Sphaeralcea*
 Wild hyacinth, *Brodiaea*
 Wild parsnip, *Lomatium*
 Wild parsnip (fragrant), *Ligusticum*
 Wild sarsaparilla, *Aralia*
 Wind flower, *Anemone globosa*
 Wintergreen, *Chimaphila*
 Wintergreen, *Pyrola*
 Wood orchid, *Habenaria*
 Wood-rush, *Luzula*
 Woods anemone, *Anemone Piperi*
 Woods nymph, *Moneses*
 Woolly yellow daisy, *Eriophyllum*
 Wormwood, *Artemisia*
 Yellow avens, *Geum*
 Yellow-bell, *Fritillaria*
 Yellow dryas, *Dryas drummondii*
 Yellow parsnip (dwarf), *Musineon*
 Yellow stoncrop, *Sedum stenopetalum*

Active plants are packed in damp sphagnum. Cultural directions given and plants guaranteed satisfactory upon arrival.

For seed or living plants of species native to the Glacier and Yellowstone Park region, i.e. the Northern Rocky Mountains, write

Frank H. Rose, 1020 Poplar St., Missoula, Montana.

BOTANISTS ARE WONDERFUL So I, Frank H. Rose, say.

By omitting the names of botanists from this list, I find myself with surplus letters. I'll place them here rearranged.

Can you climb to timberline and name all the plants you find there? So can I. Each plant, of course, carries its own name if you can read it. Lower down, *Lysichitum americanum* may have its name in big white letters along its wall-like leaves; or *Echinopanax horridum*, like a Boris Karloff premiere, flash from white to green then to red and run down through broad, green balconies to the trap below.

But, to pick the little ones high on a mountain, with your eyes filled with tears by the raw timberline wind is quite another matter and working them out from dried samples brought home is about as bad. You look and look again, consult this book and that and finally decide that Rydberg said it was this, and Britton or Nelson said it was that, and you think what wonderful men. Soon you are filled with wonder. You wonder if it is this or that and what makes it grow? Will it appeal to your distant friends as it does to you, and how will it behave for them? I appreciate it when you tell me where I am wrong.



Trees and Shrubs

Listed here are some of our better trees and shrubs.

Minimum order from this page \$1.00 each species.

You will often get a more shapely shrub from your local nurseryman if he has the desired species; I prefer to collect flowering plants. Suckers, or cuttings of stem or root will, given time, produce satisfactory plants of many shrubs and can usually be furnished. Good seedlings are generally available of a few and others are small enough to dig anyway. Good seedling trees are often available where fire, logging or trampling has prepared a seed bed. Where practical, I have indicated the approximate number to expect for \$1.00. For the rest, if you must have them, tell me what you want and I will do the best I can.

<u>Trees</u>	<u>Size.</u>	<u>For \$1.00</u>	<u>Medium Shrubs continued.</u>	<u>For \$1.00</u>
<i>Abies grandis</i>	4-8"	5	<i>Pachystima myrsinites</i>	4
Favors ample moisture	8-10"	4	Good if you can grow it.	
<i>Abies lasiocarpa</i>	4-6"	6	<i>Purshia tridentata</i>	
The fir at timberline	6-10"	4	Good for dry well drained slopes.	
<i>Juniperus scopulorum</i>	4-8"	5	<i>Juniperus communis montana</i>	3
Write for seed list.			Attractive, with gin flavored berries.	
<i>Larix occidentalis</i> or <i>lyallii</i>	6-12"	4	<i>Kalmia microphylla</i>	
The deciduous evergreen.			Cuttings or clumps available.	
<i>Picea engelmannii</i>	4-6"	6	<i>Rhus glabra</i>	5
Shapely and good color	6-9"	5	Good and generally available, easy.	
<i>Pinus albicaulis</i>			<i>Rhus trilobata</i>	
The timberline pine			A hardy pioneer, asking little.	
<i>Pinus brachyptera</i>	4-6"	6	<i>Rosa acicularis</i>	
= <i>P. ponderosa scopulorum</i>			Another single wild rose.	
Bark yellows with age.			<i>Shepherdia canadensis</i>	
<i>Pinus monticola</i>	4-6"	6	Bright red berries.	
Soft bluish needles	6-8"	4	<i>Spiraea densiflora</i> or <i>menziesii</i>	
<i>Pinus murrayana</i>	3-6"	6	With red flowers.	
Short lived, good 100 yrs.	6-9"	5	<i>Spiraea lucida</i> has white flowers.	
<i>Pseudotsuga taxifolia caesia</i>	5-7"	5	<i>Vaccinium</i> , we have 9	
Our best Christmas tree	7-10"	4	I find some in pies or elsewhere,	
<i>Thuja plicata</i>	5-7"	10	including <i>V. caespitosum</i> , <i>V. membranaceum</i>	
Grows rapid and immense.	7-12"	6	<i>V. ovalifolium</i> and <i>V. scoparium</i> .	
<i>Tsuga heterophylla</i> or <i>mertensiana</i>			<i>Yucca glauca</i>	
Topmost twig at ease.			Seed some yrs. Small plants, if & when.	
<u>Tall Shrubs.</u> Normally over 6'			<u>Low Shrubs</u> Mostly under 2'	
<i>Acer glabrum</i>			<i>Arctostaphylos uva-ursi</i>	4
Glorious in fall color.			Berries in season, Cuttings or plants.	
<i>Amelanchier alnifolia</i>			<i>Artemisia frigida</i>	8
More a bearberry than <i>Arctostaphylos</i> .			Soft as kitten fur. Shear it.	
<i>Echinopanax horridum</i>			<i>Berberis (mahonia) repens</i>	4
To collect it is the Devil's own job.			Creeping Oregon grape. Evergreen.	
<i>Holodiscus (Sericotheca) discolor</i>			<i>Gaultheria humifusa</i>	4
Ocean spray, better than <i>Spiraea</i> .			A mat forming evergreen	
<i>Philadelphus lewisii</i>			<i>Gutierrezia sarothrae</i>	5
A Lewis & Clark find and still tops.			Matchwood. Late yellow flowers.	
<i>Prunus demissa</i>			Plants green in dry weather.	
The thicket forming western bird cherry.			<i>Juniperus horizontalis</i>	2
<i>Prunus emarginata</i> , suckers or cuttings			Mat forming juniper.	
Another free lunch counter for birds.			<i>Linnaea borealis americana</i>	5
<i>Salix</i> . We have willows from the ground up.			Ground cover for cold shady site.	
<i>Sambucus glauca</i>			<i>Penstemon fruticosus</i>	3
Blue berried elder. Cuttings or berries.			Showy purple flowered bush	
<i>Shepherdia argentea</i>			<i>Phlox douglasii rigida</i>	5
Red berries, silvery lvs., tart jelly.			Low shrubby phlox. Light blue fls.	
<i>Sorbus scopulina</i> or <i>oxidentalis</i>			<i>Phyllodoce empetriformis</i>	3
Red or orange berried shrubs.			Mountain red heather.	
<u>Medium Shrubs</u> 2-6"			<i>Potentilla fruticosa</i>	4
<i>Artemisia tridentata</i> or <i>absinthium</i>		5	Dwarf mountain form.	
Fine on a dry site.			<i>Dryas drummondii</i> , yellow flowers.	
<i>Bossekia parviflora</i>			<i>Dryas octopetala</i> , white flowers.	3
Large leaved thimble berry.			<i>Eriogonum microthecum</i>	
<i>Ceanothus velutinus</i>			Pink flowered shrub.	
Evergreen, but seldom small here			<u>Vines</u>	
<i>Chrysothamnus nauseosus</i>		4	<i>Clomatis columbiana</i>	4
Light gray foliage, late yellow fls.			Blue flowered shade loving vine.	
<i>Ledum glandulosum</i>		4	<i>Clomatis ligusticifolia</i>	
Damp shady site is OK.			Abundant white flower clusters.	
<i>Opulaster bracteatus</i>			<i>Lonicera ciliosa</i>	4
Indian's arrow wood.			Orange red flowers.	

6249

= 1949 =

U. S. DEPARTMENT OF AGRICULTURE
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

(4)

MISSOULA

Rose, Frank H
Return Postage Guaranteed
by
Native Evergreens,
Missoula, Montana.

LIBRARY

U. S. Department of Agriculture

Washington 25, D. C.




Wild Flowers of Montana's Mountains
Here at Low Prices. Seed, Plants
Native Material Collected. Cultu-
rations Furnished and Safe Arrival Guaranteed.
Write For Your Copy.



Native Plants of the National Park Region.

Flowers
Shrubs
Trees
Ferns
Bulbs
Seeds



Collected for you
by
Frank H. Rose,
1020 Poplar Street,
Missoula, Montana.

